

Version: 1 Version date: 16/09/2024 Language: EN According to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No. 2020/878)

Safety Data Sheet

Image: Product identifier Trade name/designation : Alcool Isopropylique 99.8%. 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses : For professional use. Uses advised against : No data available. 1.3 Details of the supplier of the safety data sheet

Supplier : Name: LAB SAS Street: 1 rue de la clef des champs Postal code/City: 68600 Volgelsheim Country: France : Telephone: 0389227765 E-mail: Office@labsys.fr

1.4 Emergency Telephone Number

United Kingdom:

+35625454030 +35 (0) 31 837 9964 (medical professionals) +35 (0) 31 809 2166 (public) In England and Wales: dial 111 (NHS 111), In Scotland: dial 111 (NHS 24), In Northern Ireland: Contact your local GP or pharmacist during normal hours. During GP Out-of-Hours (www.gpoutofhours.hscni.net/): Belfast HSC Trust, (North & West) 028 9074 4447, (South & East) 028 9079 6220 South Eastern HSC Trust, (North Down & Ards) 028 9182 2344, (Lisburn & Downpatrick) 028 9260 2204, Dalriada Urgent Care (Northern Trust area) 028 2566 3500, Southern HSC Trust 028 3839 9201, Western Urgent Care 028 7186 5195.

Hazards identification

2.1 <u>Classification of the substance or mixture</u>

Classification according to the regulation (EC) n°1272/2008 (CLP) and its amendments

Hazards identification:

H225	Flam. Liq. 2
H319	Eye Irrit. 2
H336	STOT SE 3 H336

Highly flammable liquid and vapour. Causes serious eye irritation May cause drowsiness or dizziness

2.2 Label elements

Label elements according to the regulation (EC) n°1272/2008 (CLP) and its amendments

Labelling Hazard pictograms



Signal word

Hazard Statements

1/13



- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation
- H336 May cause drowsiness or dizziness

Precautionary Statements - Prevention

- P210 Keep away from heat, hot surfaces, sparks, open flames and all other ignition sources. Do not smoke.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

P305+P351+ IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary Statements - Storage

P403+P235 Store in a well-ventilated place. Keep cool.

Contains

propan-2-ol

2.3 Other hazards

According to Regulation (EU) 1907/2006, no substances are assessed as PBT or vPvB. According to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, no substances are known to have endocrine disrupting properties.

```
a Compositio
```

Composition/information on ingredients

3.2 <u>Mixtures</u>

In accordance with the product knowledge, no nanomaterials have been identified. The mixture does not contain any substances classified as Substances of Very High Concern (SVHC) by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table.

Sut	ostance	Concentration (%)	Specific concentration limits		Classification
propan-2-ol [1	.]				
CAS N°	67-63-0	C= 100.0%		H225	Flam. Liq. 2
EC N°	200-661-7			H319	Eye Irrit. 2
IDX N°	603-117-00-0			H336	STOT SE 3 H336
Registration	01-				
number	2119457558-				
	25-XXXX				

[1] Substance for which maximum workplace exposure limits are available.

Remark

Text phrases and H- EUH-: see section 16.

4

First aid measures

4.1 **Description of first aid measures**

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Do not leave affected person unattended.

Remove victim out of the danger area.

Keep affected person warm, still and covered.

Remove the affected person from the danger zone and lay down.



Following inhalation: Remove person to fresh air and keep comfortable for breathing. No resuscitation mouth-to-mouth or mouth-to-nose. Ambu use a mask or respirator. Following skin contact: Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Following eye contact: In case of eye irritation consult an ophthalmologist. Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Following ingestion: Never give anything by mouth to an unconscious person or a person with cramps. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Self-protection of the first aider: First aider: Pay attention to self-protection!. 4.2 Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11. 4.3 Indication of any immediate medical attention and special treatment needed Notes for the doctor: Treat symptomatically.

រទ្ធ្លី **5** Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Foam. Extinguishing powder. Carbon dioxide (CO2). Sand. Unsuitable extinguishing media: Strong water jet.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire. Highly flammable liquid and vapour. May form flammable/explosive vapor-air mixtures.

5.3 Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Firefighting instructions: Cool exposed containers by spraying or misting water. Be cautious when fighting any chemical fire. Avoid letting firefighting wastewater contaminate the environment.

Protection in case of fire: Do not enter fire area without protective equipment, including respiratory protection.

Additional information

Do not inhale vapors and fumes.

Co-ordinate fire-fighting measures to the fire surroundings.

Move undamaged containers from immediate hazard area if it can be done safely.

Use caution when applying carbon dioxide in confined spaces. carbon dioxide can displace oxygen.

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Accidental release measures

6 et io



6.1 <u>Personal precautions, protective equipment and emergency procedures</u>

Use personal protection equipment. Remove persons to safety. Provide adequate ventilation. Use appropriate respiratory protection.

6.2 **Environmental precautions**

Ensure that waste is collected and contained. Contain leaks or spills within cabinets with removable trays. Avoid entering sewers and drinking water. Notify authorities if liquid enters sewers or public waters.

6.3 Methods and material for containment and cleaning up

Treat the recovered material as prescribed in the section on waste disposal. Collect in closed and suitable containers for disposal. Clean contaminated objects and areas thoroughly observing environmental regulations. Ventilate affected area. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Wipe up with absorbent material (eg. cloth, fleece).

6.4 Reference to other sections

Safe handling: see section 7. Disposal: see section 13. Personal protection equipment: see section 8.

Additional information

Not available

section **7**

Handling and Storage

7.1 Precautions for safe handling

Avoid exposure - obtain special instructions before use.

Use only outdoors or in a well-ventilated area.

Handle empty containers with care as residual vapors are flammable.

Wash your hands and any other exposed areas with mild soap and water before eating, drinking, smoking, and before leaving work. Wash your hands, forearms, and face carefully after handling.

PROTECTIVE MEASURES:

Avoid contact with skin, eyes and clothes.

Remove fume condensates periodically from extraction hoods, leads and other surfaces (wear personal protective clothing!) as there is a risk of catching fire.

Use only in well-ventilated areas.

If local exhaust ventilation is not possible or not enough, the entire work area must be ventilated by technical means. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

Provide earthing of containers, equipment, pumps and ventilation facilities.

Take precautionary measures against static discharges.

Wear personal protective clothing (see section 8).

Sewers and ducts must be protected against the entry of the product.

Provide adequate ventilation as well as local exhaustion at critical locations.

Vapours/aerosols should be exhausted directly at the point of origin.

Avoid breathing gas/fumes/vapour/spray.

Advices on general occupational hygiene:

Wash hands before breaks and after work.

Remove contaminated, saturated clothing immediately.

Work in well ventilated zones or use proper respiratory protection.

In the immediate working surroundings there must be:

Provide eye shower and label its location conspicuously.

7.2 Conditions for safe storage, including any incompatibilities



Keep container tightly closed in a dry, cool, and well-ventilated place.

Keep container in upright position in order to prevent leakage.

Requirements for storage rooms and vessels:

Ensure adequate ventilation of the storage area.

Ground/bond container and receiving equipment.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Store locked up.

Advice on joint storage:

Keep away from food, drink and animal feedingstuffs.

Keep away from clothing and other combustible materials.

Keep only in the original container in a cool, well-ventilated place, away from highly flammable substances.

Further information on storage conditions:

Use explosion-proof electrical/ventilating/lighting/.../equipment.

Use only non-sparking tools.

7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

section 8

Exposure controls/personal protection

8.1 **Control parameters**

Occupational exposure limits:

Substance	Value	Unit	Туре
propan-2-ol CAS: 67-63-0 (GB)	500	ppm	Exposure limit (15 minutes)
propan-2-ol CAS: 67-63-0 (GB)	1,250	mg/m ³	Exposure limit (15 minutes)
propan-2-ol CAS: 67-63-0 (GB)	400	ppm	Exposure limit (8 hours)
propan-2-ol CAS: 67-63-0 (GB)	999	mg/m ³	Exposure limit (8 hours)

Biological limit values: Not available **Exposure limits at intended use:** Not available

Remark: Not available

8.2 **Exposure controls**

Appropriate engineering controls:

Technical measures and the application of suitable work processes have priority over personal protection equipment. Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment:



Eye/face protection

Skin protection

Suitable eye protection: Wear eye protection equipment. **Recommended eye protection articles:** Eye glasses. Hand protection: Suitable gloves type:

itdb

Respiratory protection :	 Wear protective gloves. Additional hand protection measures: Do not wear gloves near machines and rotating tools. Use gloves only once. Remark: When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration. Body protection: Suitable protective clothing: Lab coat. Respiratory protection necessary at: If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protection apparatus: Wear respiratory protection. Remark: The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. Observe the wear time limits as specified by the manufacturer. Use only respiratory protection equipment with CE-symbol including four
Environmental exposure controls:	digit test number.
Not available	
Consumer exposure controls: Not available Additional information	

Additional information

Not available

9

Physical and chemical Properties

9.1 Information on basic physical and chemical properties

Dhysical state		Liquid
Physical state	•	Liquid
Colour	:	Colorless
Odour	:	Caracteristique
рН	:	Not available
Melting point/freezing point	:	Not available
Initial boiling point and boiling range	:	82°C
Flash point	:	12°C
Flammability	:	Not available
Upper/lower flammability or explosive	:	Not available
limits		
Vapour pressure	:	Not available
Vapour density	:	Not available
Relative density	:	Not available
Solubility(ies)	:	Soluble



Partition coefficient n-octanol/water	:	Not applicable
(log value)		
Auto-ignition temperature	:	Not available
Decomposition temperature	:	Not available
Dynamic viscosity	:	Not applicable
Kinematic viscosity	:	Not available
Oxidising properties	:	Not available
Solubility in other Solvents	:	Not available
Particle characteristics	:	Not applicable

9.2 Other safety information

Information concerning to the classes of physical hazards Not available Other security characteristics Not available

10 Stability and Reactivity

10.1 Reactivity

section

No data available.

10.2 Chemical stability

The product is stable when stored at normal ambient temperatures. Not established. Highly flammable liquid and vapors. Can form flammable/explosive vapor-air mixtures.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

No data available.

Direct rays of the sun. Extremely high or extremely low temperatures. Naked flame.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

Does not decompose when used for intended uses. Smoke. Carbon monoxide. Carbon dioxide. May release flammable gases. Additional information

Not available

ection 11 **Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity: The product is not classified. Substances: Not available Acute dermal toxicity: The product is not classified. Substances: Not available Acute inhalation toxicity: The product is not classified. Substances:



Not available Skin corrosion/irritation: The product is not classified. Substances: Not available <u>Serious eye damage/irritation:</u> The product is classified Eye Irrit. 2 according to the referenced regulation. Causes serious eye irritation. Substances: Not available Skin sensitisation: The product is not classified. Substances: Not available Specific target organ toxicity (repeated exposure): The product is not classified. Substances: Not available Specific target organ toxicity (single exposure): The product is classified STOT SE 3_H336 according to the referenced regulation. May cause drowsiness or dizziness. Substances: Not available **Carcinogenicity:** The product is not classified. Substances: Not available **Reproductive toxicity:** The product is not classified. Substances: Not available Germ cell mutagenicity: The product is not classified. Substances: Not available Sensitisation to the respiratory tract: The product is not classified. Substances: Not available Additional information: Not available 11.2 Information on other hazards

Endocrine disrupting properties: According to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, no substances are known to have endocrine disrupting properties.

$\frac{1}{2}$ **12** Ecological information

12.1 Toxicity

Based on available data, the classification criteria are not met. Substances: Not available

12.2 Persistence and degradability



The product has not been tested. Substances: Not available

12.3 Bioaccumulative potential

The product has not been tested. Substances: Not available

12.4 Mobility in soil

The product has not been tested. **Substances:** Not available

12.5 Results of PBT and vPvB assessment

According to Regulation (EU) 1907/2006, no substances are assessed as PBT or vPvB.

12.6 Endocrine disrupting properties

According to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, no substances are known to have endocrine disrupting properties.

12.7 Other adverse effects

Not available

Additional ecotoxicological information

Not available

الله **13** Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal:

Waste codes/waste designations according to EWC/AVV:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Waste treatment options:

Appropriate disposal/Product:

Waste requiring special supervision.

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

Appropriate disposal/Package:

Non-contaminated packages must be recycled or disposed of.

Contaminated packing must be completely emptied and can be reused after proper cleaning.

Packing which cannot be properly cleaned must be disposed of.

Handle contaminated packages in the same way as the substance itself.

Dispose of waste according to applicable legislation.

Remark:

For recycling, contact manufacturer.

Collect the waste separately.

Consult the appropriate authorities about waste disposal.

Do not mix with other wastes.

The waste is to be kept separate from other types of waste until its disposal.

Concerning the waste it has to be checked, whether a transport authorisation is required.

Additional information

Not available

 ${f 14}$ Transport information



		Land transport (ADR/RID):	Inland waterway transport (ADN):	Sea transport (IMDG):	Air transport (ICAO-TI/IATA- DGR):
<u>14.1</u>	UN number:	1993	1993	1993	1993
<u>14.2</u>	UN proper shipping name:		FLAMMABLE LIQUID, N.O.S. (vapour pressure at 50 °C more than 110 kPa)		FLAMMABLE LIQUID, N.O.S. (vapour pressure at 50 °C more than 110 kPa)
<u>14.3</u>	Transport hazard class(es):				
	Class or Division:	3	3	3	3
	Hazard label(s):				3
<u>14.4</u>	Packing group:	II	II	П	П

14.5 Environmental hazards

Not available

14.6 Special precautions for user

Not available

- 14.7 Bulk shipping according to IMO instruments
 - Not available

Additional information

Not available

15 Regulatory information

15.1 <u>Safety, health and environmental regulations/legislation specific for the substance or</u> mixture

This SDS has been established in accordance with REACH regulation, including its amendments: REACH Regulation (EC) No 1907/2006.

This SDS has been established in accordance with CLP regulation, including its amendments: CLP Regulation EC No. 1272/2008.

EU legislation:

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]:

"Flammable liquids of category 2 or category 3 excluding heading 4330. The total quantity likely to be present in the installations, including underground cavities, being: 1. greater than or equal to 1,000 t

.....A 2. Greater than or equal to 100 t but less than 1,000 tE 3. Greater than or equal to 50 t but less than 100

t.....DC Low threshold quantity within the meaning of article R. 511-10:

5,000 t High threshold quantity within the meaning of article R. 511-10: 50,000 t".

EU legislation:

I	REACH: Annex XVII (Restrictions):

Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7



National regulations:

Occupational Exposure Limit Values (long term) - Canada (Ontario):

Occupational Exposure Limit Values (long term) - Canac	la (Ontario):	
Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7
Occupational Exposure Limit Values (long term) - Canad	la (Quebec):	
Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7
Occupational Exposure Limit Values (long term) - Irelan	d:	
Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7
Occupational Exposure Limit Values (long term) - NZ:		
Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7
Occupational Exposure Limit Values (long term) - Singa	pore:	
Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7
Occupational Exposure Limit Values (long term) - US (N	IOSH):	
Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7
Occupational Exposure Limit Values (long term) - US (O	SHA):	
Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7
Occupational Exposure Limit Values (long term) - Unite	d Kingdom:	
Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7
Occupational Exposure Limit Values (short term) - Cana	ida (Ontario):	
Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7
Occupational Exposure Limit Values (short term) - Cana	ida (Quebec):	
Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7
Occupational Exposure Limit Values (short term) - Irela	nd:	
Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7
Occupational Exposure Limit Values (short term) - NZ:		
Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7
Occupational Exposure Limit Values (short term) - Singa	apore:	
Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7
Occupational Exposure Limit Values (short term) - US (I	NIOSH):	
Substance	CAS	EC



propan-2-ol	67-63-0	200-661-7
Occupational Exposure Limit Values (short tern	n) - United Kingdom:	
Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7
U.S NY - RTK:		
Substance	CAS	EC
propan-2-ol	67-63-0	200-661-7

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Additional information

Not available

section

16 Other information

Indication of changes

Not applicable (first edition of the MSDS).

Abbreviations and acronyms

CAS: Chemical Abstract Service Number.

IATA: International Air Transport Association.

IMDG: International Maritime Dangerous Goods Code.

DPD Dangerous Preparation Directive.

UN number: United Nations number.

No EC: European Commission Number.

ADN/ADNR: Regulations concerning the transport of dangerous substances in barges on the waterways.

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road/Regulations concerning the international carriage of dangerous goods by rail.

CLP: Classification, labeling and packaging.

VPvB: very persistent and very bioaccumulative substances.

Key literature references and sources for data

No data available.

<u>Classification for mixtures and used evaluation method according to regulation (EC)</u> <u>1272/2008 [CLP]</u>

Complies with ATP 18, Regulation (EU) n°2022/692.

Classification of the mixture is in accordance with the evaluation method described in Regulation (EC) No 1272/2008.

Relevant R-, H- and EUH-phrases (Number and full text)

H225	Flam. Liq. 2	Highly flammable liquid and vapour.
H319	Eye Irrit. 2	Causes serious eye irritation
H336	STOT SE 3 H336	May cause drowsiness or dizziness

Training advice

Refer to Sections 4, 5, 6, 7 and 8 of this safety data sheet. **Additional information**

Creation date: 16/09/2024 Version date: 16/09/2024 Printing date: 16/09/2024



The information given in this Safety Data Sheet is based on our present knowledge and on European and national regulations. This Safety Data Sheet describes safety requirements relative to identified uses, it doesn't guarantee all the product properties particularly in the case of non identified uses. The product mustn't be used for any uses other than those identified under heading 1. Since the user's working conditions are not known by us, it is the responsability of the user to take all necessary measures to comply with legal requirements for specific uses and avoid negative health effects.