

Safety Data Sheet

section 1	Identification of the substance/mixture and of the company/undertaking
----------------------------	---

1.1 Product identifier

Trade name/designation : Scent fruit de la passion.
Article No (user) : 1804209.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Ingredient for industrial use: perfume composition.
Uses advised against : No data available.

1.3 Details of the supplier of the safety data sheet

Supplier : **Name:** LAB SAS
Street: 1 rue de la clef des champs
Postal code/City: 68600 Volgelsheim
Country: France :
Telephone: 33 (0) 3 89 22 77 65
E-mail: Office@labsys.fr

1.4 Emergency Telephone Number

United Kingdom:
+33 (0)1 45 42 59 59 (24h/24 7j/7).
+35625454030 +35 (0) 31 837 9964 (medical professionals) +35 (0) 31 809 2166 (public) In England and Wales: dial 111 (NHS 111), In Scotland: dial 111 (NHS 24), In Northern Ireland: Contact your local GP or pharmacist during normal hours.
During GP Out-of-Hours (www.gpoutofhours.hscni.net/): Belfast HSC Trust, (North & West) 028 9074 4447, (South & East) 028 9079 6220 South Eastern HSC Trust, (North Down & Ards) 028 9182 2344, (Lisburn & Downpatrick) 028 9260 2204, Dalriada Urgent Care (Northern Trust area) 028 2566 3500, Southern HSC Trust 028 3839 9201, Western Urgent Care 028 7186 5195.

section 2	Hazards identification
----------------------------	-------------------------------

2.1 Classification of the substance or mixture

Classification according to the regulation (EC) n°1272/2008 (CLP) and its amendments

Hazards identification:

H226	Flam. Liq. 3	Flammable liquid and vapour.
H302	Acute Tox. 4 ORAL	Harmful if swallowed
H315	Skin Irrit. 2	Causes skin irritation.
H317	Skin Sens. 1B	May cause an allergic skin reaction.
H319	Eye Irrit. 2	Causes serious eye irritation
H400	Aquatic Acute 1	Very toxic to aquatic life.
H411	Aquatic Chronic 2	Toxic to aquatic life with long lasting effects.

2.2 Label elements

Label elements according to the regulation (EC) n°1272/2008 (CLP) and its amendments

Labelling

Hazard pictograms



Signal word

Warning

Hazard Statements

H226	Flammable liquid and vapour.
H302	Harmful if swallowed
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Supplemental Hazard information (EU)

EUH208	Contains pin-2(10)-ene, pin-2(3)-ene, linalool, (R)-p-mentha-1,8-diene, geranyl acetate, citronellol, coumarin, ethyl 3-phenyloxirane-2-carboxylate, α -hexylcinnamaldehyde. May produce an allergic reaction.
--------	---

Precautionary Statements - Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and all other ignition sources. Do not smoke.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/.../equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash your hands after handling
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P330	Rinse mouth.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P370+P378	En cas d'incendie: utiliser de la poudre sèche ou de la mousse pour l'extinction
P391	Collect spillage.

Precautionary Statements - Storage

P403+P235	Store in a well-ventilated place. Keep cool.
-----------	--

Precautionary Statements - Disposal

P501	Dispose of contents/container to
------	---------------------------------------

Contains

α -hexylcinnamaldehyde, (R)-p-mentha-1,8-diene, benzyl alcohol, benzyl butyrate

2.3 Other hazards

According to Regulation (EU) 1907/2006, no substances are assessed as PBT or vPvB.

According to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, no substances are known to have endocrine disrupting properties.

section 3 Composition/information on ingredients

3.2 Mixtures

In accordance with the product knowledge, no nanomaterials have been identified.

The mixture does not contain any substances classified as Substances of Very High Concern (SVHC) by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>.

Substance	Concentration (%)	Specific concentration limits	Classification
α-hexylcinnamaldehyde			
CAS N° 101-86-0 EC N° 202-983-3 IDX N° Registration number	C= 10.45%	ETA (orale): 3100 mg/kg	H317 Skin Sens. 1B H400 Aquatic Acute 1 H411 Aquatic Chronic 2
allyl hexanoate			
CAS N° 123-68-2 EC N° 204-642-4 IDX N° Registration number 01-2119983573-26-XXXX	C= 9.09%	ETA (orale): 218 mg/kg ETA (cutanée): 300 mg/kg	H301 Acute Tox. 3 ORAL H311 Acute Tox. 3 DERMAL H400 Aquatic Acute 1 H411 Aquatic Chronic 2
ethyl hexanoate			
CAS N° 123-66-0 EC N° 204-640-3 IDX N° Registration number 21457	C= 5.91%		H226 Flam. Liq. 3 H315 Skin Irrit. 2
benzyl benzoate			
CAS N° 120-51-4 EC N° 204-402-9 IDX N° 607-085-00-9 Registration number 01-2119976371-33-XXXX	C= 5.73%		H302 Acute Tox. 4 ORAL H400 Aquatic Acute 1 H411 Aquatic Chronic 2
(R)-p-mentha-1,8-diene			
CAS N° 5989-27-5 EC N° 227-813-5 IDX N° 601-096-00-2 Registration number 01-2119529223-47-XXXX	C= 5.38%	M=1	H226 Flam. Liq. 3 H304 Asp. Tox. 1 H315 Skin Irrit. 2 H317 Skin Sens. 1B H400 Aquatic Acute 1 H412 Aquatic Chronic 3
coumarin			
CAS N° 91-64-5 EC N° 202-086-7 IDX N° Registration number 01-2119949300-45-XXXX,01-2119943756-26-XXXX	C= 4.55%		H302 Acute Tox. 4 ORAL H317 Skin Sens. 1B
pin-2(10)-ene			
CAS N° 127-91-3	C= 3.46%		H226 Flam. Liq. 3

EC N°	204-872-5			H304	Asp. Tox. 1
IDX N°				H315	Skin Irrit. 2
Registration	01-			H317	Skin Sens. 1B
number	2119519230-			H400	Aquatic Acute 1
	54-XXXX			H410	Aquatic Chronic 1
ethyl 3-phenyloxirane-2-carboxylate					
CAS N°	121-39-1	C= 3.45%		H317	Skin Sens. 1B
EC N°	204-467-3				
IDX N°					
Registration	22103				
number					
ethanol [1]					
CAS N°	64-17-5	C= 3.42%		H225	Flam. Liq. 2
EC N°	200-578-6			H319	Eye Irrit. 2
IDX N°	603-002-00-5				
Registration	01-				
number	2119457610-				
	43-XXXX				
ethyl butyrate					
CAS N°	105-54-4	C= 3.09%		H226	Flam. Liq. 3
EC N°	203-306-4			H319	Eye Irrit. 2
IDX N°					
Registration	17594				
number					
linalool					
CAS N°	78-70-6	C= 2.15%	ETA (orale): 2790 mg/kg	H315	Skin Irrit. 2
EC N°	201-134-4			H317	Skin Sens. 1B
IDX N°	603-235-00-2			H319	Eye Irrit. 2
Registration	01-				
number	2119474016-				
	42-XXXX				
4-(2,6,6-trimethylcyclohex-2-ene-1-yl)-but-3-ene-2-one					
CAS N°	127-41-3	C= 1.55%		H411	Aquatic Chronic 2
EC N°	204-841-6				
IDX N°					
Registration	18612				
number					
vanillin					
CAS N°	121-33-5	C= 1.41%		H319	Eye Irrit. 2
EC N°	204-465-2				
IDX N°					
Registration	01-				
number	2119516040-				
	60-XXXX				
ethyl acetate [1]					
CAS N°	141-78-6	C= 1.27%		H225	Flam. Liq. 2
EC N°	205-500-4			H319	Eye Irrit. 2
IDX N°	607-022-00-5			H336	STOT SE 3 H336
Registration	01-				
number	2119475103-				
	46-XXXX				
geranyl acetate					
CAS N°	105-87-3	C= 0.36%		H315	Skin Irrit. 2
EC N°	203-341-5			H317	Skin Sens. 1
IDX N°				H412	Aquatic Chronic 3

Registration number	01-2119973480-35-XXXX			
7-methyl-3-methylenoocta-1,6-diene				
CAS N°	123-35-3	C= 0.22%	M=1	H226 Flam. Liq. 3
EC N°	204-622-5		M(Chronic)=1	H304 Asp. Tox. 1
IDX N°				H315 Skin Irrit. 2
Registration number	01-2119514321-56-XXXX			H319 Eye Irrit. 2
				H400 Aquatic Acute 1
				H411 Aquatic Chronic 2
pin-2(3)-ene				
CAS N°	80-56-8	C= 0.1%	ETA (orale): 500 mg/kg	H226 Flam. Liq. 3
EC N°	201-291-9			H302 Acute Tox. 4 ORAL
IDX N°				H304 Asp. Tox. 1
Registration number	01-2119519223-49-XXXX			H315 Skin Irrit. 2
				H317 Skin Sens. 1B
				H400 Aquatic Acute 1
				H410 Aquatic Chronic 1

[1] Substance for which maximum workplace exposure limits are available.

Remark

Text phrases and H- EUH-: see section 16.

section

4

First aid measures

4.1 Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Do not leave affected person unattended.

Remove victim out of the danger area.

Keep affected person warm, still and covered.

Remove the affected person from the danger zone and lay down.

Following inhalation:

Remove person to fresh air and keep comfortable for breathing.

Following skin contact:

Remove contaminated, saturated clothing immediately.

After contact with skin, wash immediately with plenty of water and soap.

Take off immediately all contaminated clothing.

In case of skin irritation, consult a physician.

In case of skin reactions, consult a physician.

Following eye contact:

In case of eye irritation consult an ophthalmologist.

Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect unharmed eye.

Following ingestion:

Never give anything by mouth to an unconscious person or a person with cramps.

IF SWALLOWED: Rinse mouth.

Do NOT induce vomiting.

If swallowed: Call a POISON CENTER or physician if you feel unwell.

Self-protection of the first aider:

First aider: Pay attention to self-protection!.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

Treat symptomatically.

section	5	Firefighting measures
---------	----------	------------------------------

5.1 Extinguishing media

Suitable extinguishing media:

Foam.

Extinguishing powder.

Carbon dioxide (CO₂).

Sand.

Unsuitable extinguishing media:

Strong water jet.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Do not inhale vapors and fumes.

Co-ordinate fire-fighting measures to the fire surroundings.

Move undamaged containers from immediate hazard area if it can be done safely.

Use caution when applying carbon dioxide in confined spaces. carbon dioxide can displace oxygen.

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

section	6	Accidental release measures
---------	----------	------------------------------------

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.

Remove persons to safety.

Provide adequate ventilation.

Use appropriate respiratory protection.

6.2 Environmental precautions

Ensure that waste is collected and contained.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Avoid release to the environment.

Cover drains.

Ensure all waste water is collected and treated via a waste water treatment plant.

Do not allow to enter into soil/subsoil.

Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

Contain leaks or spills within cabinets with removable trays.

6.3 Methods and material for containment and cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Collect in closed and suitable containers for disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

Ventilate affected area.

Collect spillage.

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Wipe up with absorbent material (eg. cloth, fleece).

6.4 Reference to other sections

Safe handling: see section 7.

Disposal: see section 13.

Personal protection equipment: see section 8.

Additional information

Not available

section 7 **Handling and Storage**

7.1 Precautions for safe handling

PROTECTIVE MEASURES:

Avoid contact with skin, eyes and clothes.

Remove fume condensates periodically from extraction hoods, leads and other surfaces (wear personal protective clothing!) as there is a risk of catching fire.

Use only in well-ventilated areas.

If local exhaust ventilation is not possible or not enough, the entire work area must be ventilated by technical means.

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

Provide earthing of containers, equipment, pumps and ventilation facilities.

Take precautionary measures against static discharges.

Do not eat, drink or smoke when using this product.

Wear personal protective clothing (see section 8).

Sewers and ducts must be protected against the entry of the product.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Provide for retaining containers, eg. floor pan without outflow.

Provide adequate ventilation as well as local exhaustion at critical locations.

Vapours/aerosols should be exhausted directly at the point of origin.

Avoid breathing gas/fumes/vapour/spray.

Advices on general occupational hygiene:

Wash hands before breaks and after work.

Remove contaminated, saturated clothing immediately.

Wash contaminated clothing before reuse.

Street clothing should be stored separately from work clothing.

Work in well ventilated zones or use proper respiratory protection.

In the immediate working surroundings there must be:

Provide eye shower and label its location conspicuously.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry, cool, and well-ventilated place.

Keep container in upright position in order to prevent leakage.

Requirements for storage rooms and vessels:

Ensure adequate ventilation of the storage area.

Ground/bond container and receiving equipment.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Use isolated drainage to prevent discharge to soil.

Advice on joint storage:

Keep away from food, drink and animal feedingstuffs.

Keep away from clothing and other combustible materials.

Keep only in the original container in a cool, well-ventilated place, away from highly flammable substances.

Further information on storage conditions:

Use explosion-proof electrical/ventilating/lighting/.../equipment.

Use only non-sparking tools.

7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

section 8 Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits:

Substance	Value	Unit	Type
ethyl acetate CAS: 141-78-6 (GB)	400	ppm	Exposure limit (15 minutes)
ethyl acetate CAS: 141-78-6 (GB)	1,460	mg/m ³	Exposure limit (15 minutes)
ethanol CAS: 64-17-5 (GB)	1,000	ppm	Exposure limit (8 hours)
ethanol CAS: 64-17-5 (GB)	1,920	mg/m ³	Exposure limit (8 hours)
ethyl acetate CAS: 141-78-6 (GB)	200	ppm	Exposure limit (8 hours)
ethyl acetate CAS: 141-78-6 (GB)	730	mg/m ³	Exposure limit (8 hours)

Biological limit values:

Not available

Exposure limits at intended use:

Not available

Remark:

Not available

8.2 Exposure controls

Appropriate engineering controls:

Technical measures and the application of suitable work processes have priority over personal protection equipment. Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment:



Eye/face protection

- : **Suitable eye protection:**
Wear eye protection equipment.
- Recommended eye protection articles:**
Eye glasses.

Skin protection

- : **Hand protection:**
Suitable gloves type:
Wear protective gloves.
Suitable material:
NBR (nitrile rubber).
Additional hand protection measures:
Do not wear gloves near machines and rotating tools.
Use gloves only once.
- Remark:**
When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.
The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Breakthrough times and swelling properties of the material must be taken into consideration.

Body protection:

Suitable protective clothing:

Lab coat.

Respiratory protection

: **Respiratory protection necessary at:**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Suitable respiratory protection apparatus:

Wear respiratory protection.

Remark:

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Observe the wear time limits as specified by the manufacturer.

Use only respiratory protection equipment with CE-symbol including four digit test number.

Environmental exposure controls:

Not available

Consumer exposure controls:

Not available

Additional information

Not available

section

9

Physical and chemical Properties

9.1 Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colorless To Pale Yellow.
Odour	: Fruitée - Verte - Musc
pH	: Not available
Melting point/freezing point	: Not available
Initial boiling point and boiling range	: Not available
Flash point	: 34°C
Flammability	: Not available
Upper/lower flammability or explosive limits	: Not available
Vapour pressure	: Not available
Vapour density	: Not available
Relative density	: 0.9528
Solubility(ies)	: Soluble
Partition coefficient n-octanol/water (log value)	: Not applicable
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
Dynamic viscosity	: Not applicable
Kinematic viscosity	: Not available
Oxidising properties	: Not available
Solubility in other Solvents	: Not available
Particle characteristics	: Not applicable

9.2 Other safety information

Information concerning to the classes of physical hazards

Not available

Other security characteristics

Not available

section 10 Stability and Reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

The product is stable when stored at normal ambient temperatures.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

Additional information

Not available

section 11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity:

The product is classified Acute Tox. 4_ORAL according to the referenced regulation.

Harmful if swallowed.

ATE "Parfum fruit de la passion" = 897.182845863987 mg/kg.

Substances:

Not available

Acute dermal toxicity:

The product is not classified.

Substances:

Not available

Acute inhalation toxicity:

The product is not classified.

Substances:

Not available

Skin corrosion/irritation:

The product is not classified.

Substances:

Not available

Serious eye damage/irritation:

The product is classified Eye Irrit. 2 according to the referenced regulation.

Causes serious eye irritation.

Substances:

Not available

Skin sensitisation:

The product is classified Skin Sens. 1 according to the referenced regulation.
May cause an allergic skin reaction.

Substances:

Not available

Specific target organ toxicity (repeated exposure):

The product is not classified.

Substances:

Not available

Specific target organ toxicity (single exposure):

The product is not classified.

Substances:

Not available

Carcinogenicity:

The product is not classified.

Substances:

• **allyl heptanoate (CAS: 142-19-8):**

Test type	:	Not available
Species	:	Not available
Sex	:	Not available
Guideline	:	Not available
Route of administration	:	Not available
Exposure duration/value	:	Not available
Exposure duration/unit	:	Not available
Conclusion	:	Not available

Reproductive toxicity:

The product is not classified.

Substances:

Not available

Germ cell mutagenicity:

The product is not classified.

Substances:

Not available

Sensitisation to the respiratory tract:

The product is not classified.

Substances:

Not available

Additional information:

Not available

11.2 **Information on other hazards**

Endocrine disrupting properties:

According to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, no substances are known to have endocrine disrupting properties.

section 12 **Ecological information**

12.1 **Toxicity**

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

Substances:

Not available

12.2 **Persistence and degradability**

The product has not been tested.

Substances:

Not available

12.3 Bioaccumulative potential

The product has not been tested.

Substances:

Not available

12.4 Mobility in soil

The product has not been tested.

Substances:

Not available

12.5 Results of PBT and vPvB assessment

According to Regulation (EU) 1907/2006, no substances are assessed as PBT or vPvB.

12.6 Endocrine disrupting properties

According to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, no substances are known to have endocrine disrupting properties.

12.7 Other adverse effects

Not available

Additional ecotoxicological information

Not available

section 13 Disposal considerations

13.1 Waste treatment methods

Product/Packaging disposal:

Waste codes/waste designations according to EWC/AVV:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Waste treatment options:

Appropriate disposal/Product:

Waste requiring special supervision.

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

Appropriate disposal/Package:

Non-contaminated packages must be recycled or disposed of.

Contaminated packing must be completely emptied and can be reused after proper cleaning.

Packing which cannot be properly cleaned must be disposed of.

Handle contaminated packages in the same way as the substance itself.

Dispose of waste according to applicable legislation.

Remark:

For recycling, contact manufacturer.

Collect the waste separately.

Consult the appropriate authorities about waste disposal.

Do not mix with other wastes.





The waste is to be kept separate from other types of waste until its disposal.

Concerning the waste it has to be checked, whether a transport authorisation is required.

Additional information

Not available

section 14 Transport information

		Land transport (ADR/RID):	Inland waterway transport (ADN):	Sea transport (IMDG):	Air transport (ICAO-TI/IATA- DGR):
14.1	UN number:	1993	1993	1993	1993
14.2	UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa, boiling point of more than 35 °C)	FLAMMABLE LIQUID, N.O.S. (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa, boiling point of more than 35 °C)	FLAMMABLE LIQUID, N.O.S. (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa, boiling point of more than 35 °C)	FLAMMABLE LIQUID, N.O.S. (having a flash-point below 23 °C and viscous according to 2.2.3.1.4) (vapour pressure at 50 °C more than 110 kPa, boiling point of more than 35 °C)
14.3	Transport hazard class(es):				
	Class or Division:	3	3	3	3
	Hazard label(s):				
14.4	Packing group:	III	III	III	III

14.5 Environmental hazards

Not available

14.6 Special precautions for user

Not available

14.7 Bulk shipping according to IMO instruments

Not available

Additional information

Not available

section 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This SDS has been established in accordance with REACH regulation, including its amendments: REACH Regulation (EC) No 1907/2006.

This SDS has been established in accordance with CLP regulation, including its amendments: CLP Regulation EC No. 1272/2008.

EU legislation:

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]:

"Flammable liquids of category 2 or category 3 excluding heading 4330. The total quantity likely to be present in the installations, including underground cavities, being: 1. greater than or equal to 1,000 t

.....A 2. Greater than or equal to 100 t but less than 1,000 tE 3. Greater than or equal to 50 t but less than 100

t.....DC Low threshold quantity within the meaning of article R. 511-10: 5,000 t High threshold quantity within the meaning of article R. 511-10: 50,000 t".

"Hazardous to the aquatic environment, category acute 1 or chronic 1. The total quantity likely to be present in the facility being: 1. greater than or equal to 100 t.....A 2. Greater than or equal to 20 t but less than 100 t.....DC Low threshold quantity as defined in article R. 511-10: 100 t High threshold quantity as defined in article R. 511-10: 200 t".

"Hazardous to the aquatic environment, chronic category 2. The total quantity likely to be present in the installation being: 1. greater than or equal to 200 t.....A 2. Greater than or equal to 100 t but less than 200 tDC Low threshold quantity as defined in article R. 511-10: 200 t High threshold quantity as defined in article R. 511-10: 500 t".

EU legislation:

COMMISSION REGULATION (EU) 2023/1545 (Allergen List):

Substance	CAS	EC
α-hexylcinnamaldehyde	101-86-0	202-983-3
benzyl benzoate	120-51-4	204-402-9
(R)-p-mentha-1,8-diene	5989-27-5	227-813-5
coumarin	91-64-5	202-086-7
linalool	78-70-6	201-134-4

CLP: Harmonised classification and labelling of hazardous substances (Annex VI, table 3.1)_ATP 17:

Substance	CAS	EC
(R)-p-mentha-1,8-diene	5989-27-5	227-813-5

Occupational Exposure Limit Values (long term) - European Union:

Substance	CAS	EC
ethyl acetate	141-78-6	205-500-4

Occupational Exposure Limit Values (short term) - European Union:

Substance	CAS	EC
ethyl acetate	141-78-6	205-500-4

REACH: Annex XVII (Restrictions):

Substance	CAS	EC
(R)-p-mentha-1,8-diene	5989-27-5	227-813-5
ethanol	64-17-5	200-578-6
ethyl acetate	141-78-6	205-500-4

National regulations:

California proposition 65:

Substance	CAS	EC
7-methyl-3-methylenoocta-1,6-diene	123-35-3	204-622-5

Occupational Exposure Limit Values (long term) - Canada (Ontario):

Substance	CAS	EC
pin-2(10)-ene	127-91-3	204-872-5
ethyl acetate	141-78-6	205-500-4
pin-2(3)-ene	80-56-8	201-291-9

Occupational Exposure Limit Values (long term) - Canada (Quebec):

Substance	CAS	EC
ethanol	64-17-5	200-578-6
ethyl acetate	141-78-6	205-500-4

Occupational Exposure Limit Values (long term) - Ireland:

Substance	CAS	EC
ethanol	64-17-5	200-578-6
ethyl acetate	141-78-6	205-500-4

Occupational Exposure Limit Values (long term) - NZ:

Substance	CAS	EC
ethanol	64-17-5	200-578-6
ethyl acetate	141-78-6	205-500-4

Occupational Exposure Limit Values (long term) - Singapore:

Substance	CAS	EC
ethanol	64-17-5	200-578-6
ethyl acetate	141-78-6	205-500-4

Occupational Exposure Limit Values (long term) - US (NIOSH):

Substance	CAS	EC
ethanol	64-17-5	200-578-6
ethyl acetate	141-78-6	205-500-4

Occupational Exposure Limit Values (long term) - US (OSHA):

Substance	CAS	EC
ethanol	64-17-5	200-578-6
ethyl acetate	141-78-6	205-500-4

Occupational Exposure Limit Values (long term) - United Kingdom:

Substance	CAS	EC
ethanol	64-17-5	200-578-6
ethyl acetate	141-78-6	205-500-4

Occupational Exposure Limit Values (short term) - Canada (Ontario):

Substance	CAS	EC
ethanol	64-17-5	200-578-6

Occupational Exposure Limit Values (short term) - Ireland:

Substance	CAS	EC
ethanol	64-17-5	200-578-6
ethyl acetate	141-78-6	205-500-4

Occupational Exposure Limit Values (short term) - United Kingdom:

Substance	CAS	EC
ethanol	64-17-5	200-578-6
ethyl acetate	141-78-6	205-500-4

U.S. - NY - RTK:

Substance	CAS	EC
ethyl hexanoate	123-66-0	204-640-3
ethanol	64-17-5	200-578-6
ethyl butyrate	105-54-4	203-306-4
ethyl acetate	141-78-6	205-500-4
pin-2(3)-ene	80-56-8	201-291-9

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Additional information

Not available

Indication of changes

Not applicable (first edition of the MSDS).

Abbreviations and acronyms

CAS: Chemical Abstract Service Number.

IATA: International Air Transport Association.

IMDG: International Maritime Dangerous Goods Code.

DPD Dangerous Preparation Directive.

UN number: United Nations number.

No EC: European Commission Number.

ADN/ADNR: Regulations concerning the transport of dangerous substances in barges on the waterways.

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road/Regulations concerning the international carriage of dangerous goods by rail.

CLP: Classification, labeling and packaging.

VPvB: very persistent and very bioaccumulative substances.

Key literature references and sources for data

No data available.

Classification for mixtures and used evaluation method according to regulation (EC)

1272/2008 [CLP]

Classification of the mixture is in accordance with the evaluation method described in Regulation (EC) No 1272/2008.

Relevant R-, H- and EUH-phrases (Number and full text)

H225	Flam. Liq. 2	Highly flammable liquid and vapour.
H226	Flam. Liq. 3	Flammable liquid and vapour.
H301	Acute Tox. 3 ORAL	Toxic if swallowed.
H302	Acute Tox. 4 ORAL	Harmful if swallowed
H304	Asp. Tox. 1	May be fatal if swallowed and enters airways.
H311	Acute Tox. 3 DERMAL	Toxic in contact with skin.
H315	Skin Irrit. 2	Causes skin irritation.
H317	Skin Sens. 1B	May cause an allergic skin reaction.
H319	Eye Irrit. 2	Causes serious eye irritation
H336	STOT SE 3 H336	May cause drowsiness or dizziness
H400	Aquatic Acute 1	Very toxic to aquatic life.
H410	Aquatic Chronic 1	Very toxic to aquatic life with long lasting effects.
H411	Aquatic Chronic 2	Toxic to aquatic life with long lasting effects.
H412	Aquatic Chronic 3	Harmful to aquatic life with long lasting effects

Training advice

Refer to Sections 4, 5, 6, 7 and 8 of this safety data sheet.

Additional information

Creation date: 11/04/2025

Version date: 26/11/2024

Printing date: 11/04/2025

The information given in this Safety Data Sheet is based on our present knowledge and on European and national regulations. This Safety Data Sheet describes safety requirements relative to identified uses, it doesn't guarantee all the product properties particularly in the case of non identified uses. The product mustn't be used for any uses other than those identified under heading 1. Since the user's working conditions are not known by us, it is the responsibility of the user to take all necessary measures to comply with legal requirements for specific uses and avoid negative health effects.